

Specification Number: 600000008481 Finished Good Number: 71E246G0194 Description: 4/1 DRS LT ITLN-CAINF

## PRODUCT INFORMATION

Specification Number 60000008481		
Finished Good Number	71E246G0194	
Individual Unit UPC	045200597707	
Case UPC (when applicable)	004520059770	
GTIN	10045200597704	
Brand	0194 - CAINS	
Product Identity	LIGHT ITALIAN DRESSING	
Other Claims	LIGHT	
Net Contents Statement	128 FL OZ (1 GAL) 3.78 L	
Country of Manufacture	USA	
Base Unit of Measure	CS	

MANUFACTURER		
Manufacturer Name	North East Plant	
Address of Manufacturer	11160 PARKWAY DRIVE	
	NORTH EAST, PA 16428-6512	

ALLERGEN INFORMATION			
Component	Contains / Does Not Contain		
Peanuts and/or their Oils*	Does Not Contain		
Tree Nuts and/or their Oils*	Does Not Contain		
Sesame Seeds and/or their Oils*	Does Not Contain		
Milk/Dairy Products	Does Not Contain		
Eggs/Egg Products	Does Not Contain		
Fish-Species and/or their Oils*	Does Not Contain		
Shellfish	Does Not Contain		
Soy	Does Not Contain		
Wheat	Does Not Contain		
Mustard and/or their Oils*	Does Not Contain		
Gluten	Does Not Contain		
Added Sulfites	Does Not Contain		
Indicate any allergen warnings			
that need to appear on the			
packaging:			

<sup>\*</sup> RBD Oils are not included as source

3/1/2017 Page **1** of **6** 



Specification Number: 600000008481 Finished Good Number: 71E246G0194 Description: 4/1 DRS LT ITLN-CAINF

ADDITIONAL FORMULA INFORMATION			
Component	Compatibility	Certification	
Vegan	Not Suitable		
Vegetarian	Not Suitable		
Gluten Free	Suitable		
Lactose Free	Suitable		
Organic	Not Suitable		
NOP-Compliant	Not Suitable		
CSPO Procured	Not Suitable		
Non Genetically Modified Ingredient	Not Suitable		
Kosher	Kosher	Union of Orthodox Jewish Congregations (OU)	
FD&C Colors	Does Not Contain		
Chemical Preservatives	Contains		
Added Monosodium Glutamate	Does Not Contain		
Celery (Stalk or Leaf)	Does Not Contain		
Corn and Corn Derivatives	Contains		

NUTRITION INFORMATION		
Density	1.0507 g/ml	
Servings Per Container	About 128	

3/1/2017 Page **2** of **6** 



**Other Required Statements** 

# Finished Good Specification Confidential

Specification Number: 600000008481 Finished Good Number: 71E246G0194 Description: 4/1 DRS LT ITLN-CAINF

Nutrition Facts		
Serving Size 2 Tbsp (30 mL)		
Amount Per Serving		
Calories 15	Calories from Fat 5	
	% Daily Value*	
Total Fat 1g	2 %	
Saturated Fat Og	0 %	
Trans Fat Og		
Polyunsaturated Fat Og		
Monounsaturated Fat 0g		
Cholesterol Omg	0 %	
Sodium 560mg	23 %	
Potassium 5mg	0 %	
Total Carbohydrate 2g	1%	
Dietary Fiber 0g	0 %	
Total Sugars 1g		
Protein 0g		
Vitamin A	0 %	
Vitamin C	0 %	
Calcium	0 %	
Iron	0 %	
Folate	0 %	
*Percent Daily Values are based on a 2,000 c	alorie diet.	
, , , , , , , , , , , , , , , , , , , ,		1
Ingredient declaration as it should	WATER, DISTILLED VINE	GAR, HIGH FRUCTOSE CORN SYRUP, SALT,
appear on package	SOYBEAN OIL, CONTAINS LESS THAN 2% OF GARLIC*, ONION*,	
		GEENAN, RED BELL PEPPER*, SPICES, SODIL
	·	RVATIVE), OLEORESIN PAPRIKA (FOR COLOF
	CALCIUM DISODIUM ED	TA TO PROTECT FLAVOR. *DRIED

CLAIMS		
Relative / Comparative	LIGHT	
% Reduction	50% LESS FAT & 33% FEWER CALORIES THAN REGULAR ITALIAN DRESSING	
Referral Statement	See nutrition information for sodium content	

FOR COMPLIANCE WITH FDA GMO LABELING: CONTAINS GMOs

3/1/2017 Page **3** of **6** 



Specification Number: 600000008481 Finished Good Number: 71E246G0194 Description: 4/1 DRS LT ITLN-CAINF

Other Disclosures	If making the LIGHT claim "50% LESS FAT & 33% FEWER CALORIES THAN
	REGULAR ITALIAN DRESSING" and "SEE NUTRITION INFORMATION FOR SODIUM
	CONTENT." must appear immediately adjacent to the most prominent Light
	claim. On the information panel state "THIS PRODUCT CONTAINS 15 CALORIES
	AND 1g TOTAL FAT PER SERVING. REGULAR ITALIAN DRESSING CONTAINS 70
	CALORIES AND 7g TOTAL FAT PER SERVING."

STORAGE			
Shelf Life of Material 366 days			
Storage Type	AMBIENT/REFRIGERATE AFTER OPENING		
Storage Conditions	Store in ambient temperatures (65 - 80 °F).		

CONSUMER INFORMATION		
Consumer Storage Information	Refrigerate after opening	
Preparation Instructions on Package	SHAKE OR STIR BEFORE USING	
Directions for Use	SHAKE WELL	

MICROBIOLOGICAL STANDARDS			
Parameter	Max Limit	Test Method	
Yeast	<10 cfu/g	AOAC Approved	
Mold	<10 cfu/g	AOAC Approved	
Lactic Acid Bacteria	<100 cfu/g (mL)	AOAC Approved	

ANALYTICAL STANDARDS			
Parameter	Range	Method	
рН	3.00 - 3.40		
Acid %	1.34 - 1.64 %		
Salt %	3.92 - 4.79		
Brix	10.4 - 12.4 deg		
Viscosity (CPS)	900 - 1300 cps		
Spindle(2) Speed(20)			

OTHER QUALITY TESTS				
Parameter	Range	Method	Frequency	

Results reported above in this table are calculated maximum limits based on information provided by suppliers.

3/1/2017 Page **4** of **6** 



Specification Number: 600000008481 Finished Good Number: 71E246G0194 Description: 4/1 DRS LT ITLN-CAINF

Packaging Description4/3.78 L RND JUGPrimary PackagingRIGID PLASTIC CONTAINER JUG 3.78L HDPE 110MM ROUNDSecondary PackagingRigid Plastic Closure 110mm Round with Foam Liner BASE SPECTertiary PackagingLABEL- PRESSURE SENSATIVE 58# SEMIGLOSS 4.75IN X 5.5IN BASE SPECTamper EvidenceBreakaway BandNumber of units per case4Coding format informationCarton /XXLMMDDY NNNN TTTT Legend: XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend:M/3.78 L RND JUG 3.78 L HDPE 110MM ROUND Y - SIN MR SEMINE SPEC			_			
Primary Packaging Rigid Plastic Container JUG 3.78L HDPE 110MM ROUND  Secondary Packaging Rigid Plastic Closure 110mm Round with Foam Liner BASE SPEC  Tertiary Packaging LABEL- PRESSURE SENSATIVE 58# SEMIGLOSS 4.75IN X 5.5IN BASE SPEC  Tamper Evidence Breakaway Band  Number of units per case 4  Coding format information Carton /XXLMMDDY NNNN TITT Legend: XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production (01= Jan) DD - Day of Production (1= 2011) Y - Year of Production (1= 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (1= Abample: /01A10154 1495 0715 Example: /01A10154 1495 0715 Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am Produced October 15, 2014 at 7:15  Net Weight for Case 35.08 lb Froduction 4  Units per Layer 9  Layers per Pallet 4  Units per Pallet 36  Retail Length 6 "  Retail Height 9.79 "  Case Length 12.8125 "  Case Width 12.8125 "  Case Length 10.5625 "	PACKAGING & CODING INFORMATION					
Rigid Plastic Closure 110mm Round with Foam Liner BASE SPEC	Packaging Description	4/3.78 L RND JUG	4/3.78 L RND JUG			
Tertiary Packaging  Tamper Evidence  Breakaway Band  A  Corton  (XXLMMDDY NNNN TTTT  Legend:  XX - Plant Code L - Production Line  MM - Month of Production (01= Jan)  DD - Day of Production  Y - Year of Production (1 = 2011)  NNNN - Four Digit Formula Code  TTTT - Time of Production (24 hour)  Example: /01A10154 1495 0715  Example Legend:  Produced October 15, 2014 at 7:15am  Net Weight for Case  Gross Weight for Case  J35.08 lb  Gross Weight for Case  J37.236 lb  Units per Pallet  4  Units per Pallet  4  Units per Pallet  4  Units per Pallet  4  Units per Pallet  9.79 "  Case Length  12.8125 "  Case Width  12.8125 "  Case Height  10.5625 "	Primary Packaging	RIGID PLASTIC CONTAINER JUG 3.78L H	RIGID PLASTIC CONTAINER JUG 3.78L HDPE 110MM ROUND			
Tamper Evidence  Number of units per case  Coding format information  Carton  (XXLMMDDY NNNN TTTT  Legend:  XX - Plant Code L - Production Line  MM - Month of Production (01= Jan)  DD - Day of Production  Y - Year of Production (1 = 2011)  NNNN - Four Digit Formula Code  TTTT - Time of Production (24 hour)  Example: /01A10154 1495 0715  Example Legend:  Produced October 15, 2014 at 7:15am  Net Weight for Case  Gross Weight for Case  J35.08 lb  Gross Weight for Case  J37.236 lb  Units per Layer  9  Layers per Pallet  4  Units per Pallet  4  Units per Pallet  4  Units per Pallet  9  Retail Length  6 "  Retail Height  9.79 "  Case Length  12.8125 "  Case Width  12.8125 "  Case Height  10.5625 "	Secondary Packaging	Rigid Plastic Closure 110mm Round with Foam Liner BASE SPEC				
Number of units per case  Coding format information  Carton /XXLMMDDY NNNN TTTT Legend: XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb Gross Weight for Case 37.236 lb Units per Layer 1 Unit /XXLMMDDY NNNN TTTT Uegend: WX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb Gross Weight for Case 37.236 lb Units per Layer 9 1	Tertiary Packaging	LABEL- PRESSURE SENSATIVE 58# SEMIGLOSS 4.75IN X 5.5IN BASE SPEC				
Coding format information  Carton  /XXLMMDDY NNNN TTTT  Legend:  XX - Plant Code L - Production Line  MM - Month of Production (01= Jan)  DD - Day of Production  Y - Year of Production (1 = 2011)  NNNN - Four Digit Formula Code  TTTT - Time of Production (24 hour)  Example: /01A10154 1495 0715  Example Legend:  Produced October 15, 2014 at 7:15am  Net Weight for Case  35.08 lb  Gross Weight for Case  37.236 lb  Units per Layer  Layers per Pallet  4  Units per Pallet  4  Units per Pallet  6 "  Retail Length  Retail Height  9.79 "  Case Length  12.8125 "  Case Width  12.8125 "  Case Width  10.5625 "	Tamper Evidence	Breakaway Band				
/XXLMMDDY NNNN TTTT Legend: XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 37.236 lb  Units per Layer Units per Pallet 4 Units per Pallet 6 " Retail Length 6 " Retail Height 9.79 " Case Length 12.8125 " Case Width 12.8125 " Case Width 12.8125 " Case Height 10.5625 "	Number of units per case	4				
Legend: XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 10	Coding format information	Carton	Unit			
XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 137.236 lb  Units per Layer 14 Units per Pallet 15 Case Length 12.8125 "  Case Width 12.8125 "  XX - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production (1 = 2011) NMN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am Produced October 15, 2014 at 7:15  X - Plant Code L - Production Line MM - Month of Production (01= Jan) DD - Day of Production (20 hour) Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am Produced Octob		/XXLMMDDY NNNN TTTT	/XXLMMDDY NNNN TTTT			
MM - Month of Production (01= Jan) DD - Day of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 177.236 lb  Units per Layer Layers per Pallet Units per Pallet Retail Length Retail Height 9.79 "  Case Length 12.8125 "  Case Width 12.8125 "  Case Height  MM - Month of Production (01= Ja DD - Day of Production (01= Ja DD - Day of Production (1 = 2011) NM - Month of Production (01= Ja DD - Day of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour Example: /01A10154 1495 0715 Exa		Legend:	Legend:			
DD - Day of Production Y - Year of Production Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 37.236 lb  Units per Layer 1 Layers per Pallet 4 Units per Pallet 4 Units per Pallet 6 " Retail Length 6 " Retail Height 9.79 "  Case Length 12.8125 " Case Width 12.8125 " Case Height 10.5625 "		XX - Plant Code L - Production Line	XX - Plant Code L - Production Line			
Y - Year of Production (1 = 2011) NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case Gross Weight for Case Units per Layer 1		MM - Month of Production (01= Jan)	MM - Month of Production (01= Jan)			
NNNN - Four Digit Formula Code TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case Gross Weight for Case Units per Layer Layers per Pallet Units per Pallet Great Height Great Heig		DD - Day of Production	DD - Day of Production			
TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 37.236 lb  Units per Layer Layers per Pallet Units per Pallet Units per Pallet Retail Length Retail Height 9.79 "  Case Length 12.8125 "  Case Height 10.5625 "  TTTT - Time of Production (24 hour) Example: /01A10154 1495 0715 Example: /01A10154 1495 07		Y - Year of Production (1 = 2011)	Y - Year of Production (1 = 2011)			
Example: /01A10154 1495 0715 Example: /01A10154 1495 0715 Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 37.236 lb  Units per Layer 4 Units per Pallet 4 Units per Pallet 6 " Retail Length 6 " Retail Height 9.79 " Case Length 12.8125 " Case Width 10.5625 "		NNNN - Four Digit Formula Code	NNNN - Four Digit Formula Code			
Example Legend: Produced October 15, 2014 at 7:15am  Net Weight for Case 35.08 lb  Gross Weight for Case 37.236 lb  Units per Layer 9  Layers per Pallet 4  Units per Pallet 6 "  Retail Length 6 "  Retail Height 9.79 "  Case Length 12.8125 "  Case Height 10.5625 "		TTTT - Time of Production (24 hour)	TTTT - Time of Production (24 hour)			
Produced October 15, 2014 at 7:15am Produced October 15, 2014 at 7:15  Net Weight for Case 35.08 lb  Gross Weight for Case 37.236 lb  Units per Layer 9  Layers per Pallet 4  Units per Pallet 36  Retail Length 6 "  Retail Width 6 "  Retail Height 9.79 "  Case Length 12.8125 "  Case Width 12.8125 "  Case Height 10.5625 "		Example: /01A10154 1495 0715	Example: /01A10154 1495 0715			
Net Weight for Case         35.08 lb           Gross Weight for Case         37.236 lb           Units per Layer         9           Layers per Pallet         4           Units per Pallet         36           Retail Length         6 "           Retail Width         6 "           Retail Height         9.79 "           Case Length         12.8125 "           Case Width         12.8125 "           Case Height         10.5625 "		Example Legend:	Example Legend:			
Gross Weight for Case         37.236 lb           Units per Layer         9           Layers per Pallet         4           Units per Pallet         36           Retail Length         6 "           Retail Width         6 "           Retail Height         9.79 "           Case Length         12.8125 "           Case Width         12.8125 "           Case Height         10.5625 "		Produced October 15, 2014 at 7:15am	Produced October 15, 2014 at 7:15am			
Units per Layer         9           Layers per Pallet         4           Units per Pallet         36           Retail Length         6 "           Retail Width         6 "           Retail Height         9.79 "           Case Length         12.8125 "           Case Width         12.8125 "           Case Height         10.5625 "	Net Weight for Case	35.08 lb	35.08 lb			
Layers per Pallet       4         Units per Pallet       36         Retail Length       6 "         Retail Width       6 "         Retail Height       9.79 "         Case Length       12.8125 "         Case Width       12.8125 "         Case Height       10.5625 "	Gross Weight for Case	37.236 lb	37.236 lb			
Units per Pallet       36         Retail Length       6 "         Retail Width       6 "         Retail Height       9.79 "         Case Length       12.8125 "         Case Width       12.8125 "         Case Height       10.5625 "	Units per Layer	9	9			
Retail Length       6 "         Retail Width       6 "         Retail Height       9.79 "         Case Length       12.8125 "         Case Width       12.8125 "         Case Height       10.5625 "	Layers per Pallet	4	4			
Retail Width         6 "           Retail Height         9.79 "           Case Length         12.8125 "           Case Width         12.8125 "           Case Height         10.5625 "	Units per Pallet	36	36			
Retail Height         9.79 "           Case Length         12.8125 "           Case Width         12.8125 "           Case Height         10.5625 "	Retail Length		6"			
Case Length         12.8125 "           Case Width         12.8125 "           Case Height         10.5625 "	Retail Width	6 "	6"			
Case Width         12.8125 "           Case Height         10.5625 "	Retail Height	9.79 "				
Case Height 10.5625 "	Case Length	12.8125 "				
	Case Width	12.8125 "	12.8125 "			
Pallet Length 40 "	Case Height	10.5625 "				
	Pallet Length	40 "				
Pallet Width 48 "	Pallet Width	48 "				
Pallet Height 40 "	Pallet Height	40 "				
Safe Stack Height 2	Safe Stack Height	2				
Pallets per Truck 60	<u> </u>	60				
Case Volume 1,733.94 Inch3		1,733.94 Inch3				

Label
Please see artwork on next page

3/1/2017 Page **5** of **6** 



Specification Number: 600000008481 Finished Good Number: 71E246G0194 Description: 4/1 DRS LT ITLN-CAINF







C

 Customer:
 Bay Valley Foods

 Brand:
 Cains

 Description:
 Light Italian Dressing, 128oz

 Size:
 5.5"W x 4.75"H

 Die #:
 BVF\_71E\_PS\_4.75x5.5

 OEC Job #:
 604246-01

 BVF Code #:
 71E246G-0194

 File Name:
 71E246G-0194

 L Code:
 L194A106

 UPC Code #:
 0 45200 59770

 Orig. Date:
 12.20.16

 Rev. Date:
 01.05.17

 File Type:
 PDF

 Final Proof:
 P9\_67\_CT

 Printer/Scr/Trap:
 Spect/Conv/.010"

M Y K 187 660